



COVID-19 Saliva Antigen Test

Viral Detection

Saliva based, Easy Self-Operation

15 minutes Fast Testing

At-Home / Non-labs sites use

Sensitivity: >90%

Specificity: >99%

- Data compared to RT-PCR confirmed cases results.
- Third Party University Clinical Reports.
- COVID-19 Designated Hospitals Reports.



Also available to: CE-IVD / Philippine-FDA
ANVISA / Chile ISP Listed.
WhatsApp:+86-571-87763175 | Web: reOpenTest.com
Contact: sales@reopentest.com





Leading In-Vitro Diagnostic Testing.





COVID-19 Antibody Test

IgM/IgG Antibody Test
15 minutes Fast Testing

Individual Home-Testing

Sensitivity: >95%

Specificity: >99%

- COVID-19 Designated Hospitals Reports.



Also available to: CE-IVD / Philippine-FDA ANVISA / Chile ISP Listed. WhatsApp:+86-571-87763175 | Web: reOpenTest.com

Contact: sales@reopentest.com





Leading In-Vitro Diagnostic Testing.



reOpenTest vs EUA Approved

SARS-CoV-2 IgM/IgG Antibody Test

reOpenTest vs EUA Approved brand

Brand	Method	Sensitivity	Specificity	Data From
Cellex (EUA)	Lateral Flow Immunofluorescent	96.8%	97.8%	IFU
Roche (EUA)	Lateral Flow Immunofluorescent	76.9%	99.8%	IFU
Healgen (EUA)	Lateral Flow Immunofluorescent	96.7%	97.0%	IFU
reOpenTest	Lateral Flow	94.5%	99.3%	IFU/Hospital Clinic Data / China(n=453)
*	Immunofluorescent	95.9%	97.8%	Hospital Clinic Data / Greece(n=120)
LUNGENE (Non-EUA)	Lateral Flow Immunofluorescent	87%	98.9%	IFU

^{*} with ANVISA, CE-IVD, Chile Whitelist.


SARS-CoV-2 Antigen Rapid Test

reOpenTest vs EUA Approved brand

Brand	Method	Sensitivity	Specificity	Data From			
Quidel Corporation	Lateral Flow Immunofluorescent	80%	100%	IFU			
reOpenTest (Colloidal Gold)	Colloidal Gold	90%	98%	Korean University Medical Center Data(n=130)			
Becton	Chromatographic Digital Immunoassay*	83%	100%	IFU			
reOpenTest (FICA)	Fluorescence Immunochromatography*	88.6%	94.5%	3+ Hospitals Clinic Data (n=160)			

^{*} extra equipment required.

^{**} FICA version shall view Test results under 365nm UV light.





All EUA Brands Data can be referred by FDA Referance: https://tinyurl.com/y8utovjj (Brands IFU included)

What is the purpose of testing for COVID-19?

Surveillance			Without Symptoms, But At High Risk Of Exposure				With Symptoms					Group			
Nec	re@penTest Antigo Pos Neg Neg Neg												Vira		
Negative	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative	Negative	Postive	Postive	Postive	Antigen Test	RT-PCR	Viral Test
Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	Negative	Postive	Negative	Negative	Postive	lgM	Antibody Test	Selorogy Test
Negative	Positive	Positive	Negative	Postive	Postive	Postive	Negative	Postive	Postive	Postive	Negative	Postive	lgG	y Test	/ Test
No past infection	N/A Past Infection - Safe	Re-1		∕i\ Past Infection / Quarantin		X Active InfectionX Active Infection	Quarantine & Re-Test-Viral!	N/A Current Infection / Quarantine & Re-Test-Viral!	Re-Test-Viral			X Active Infection	Early(1-3days)		
		➤ Active Infection	Quarantine X Active Infection		X Active Infection				X Active Infection	X Active Infection			Middle(3-14days)	Person Quarantine Days	
				✓ Past Infection-Safe				1	Re-Test-Viral				Later(14+days)		
Low	Low	High-	Middle	Low+	High+	High+	Middle	Middle	High-	High+	High+	High+	MISK	Dick	

©2020 www.reOpenTest.com

Certificates & Available Countries:

- ✓ Europe / CE-IVD
- ✓ Chile / ISP Listed
- √ France / https://covid-19.sante.gouv.fr/tests
- ✓ Bolivia / AGEMED
- * Below is available to products not in this brand package.
- Brazil / ANVISA registered
- Philippine / FDA
- USA / FDA Listed

ATTACHED LIST

- Manufacturer Declaration Antibody Test
- CE / NQA
- Clinical Report / For SARS-CoV-2 IgM/IgG Antibody Test @ATTIKON University General Hospital, Athens, Greece.
- CE-IVD
- Clinical Report / For SARS-CoV-2 Antigen Rapid Test @Yeungnam University Medical Center, Korea.



Carton Information

re⊗penTest™

■ Box: 260*120*65 mm

■ Carton: 64*34*55 cm

■ 1250 pcs/ctn

■ GW:15kg